



SG 3970



PRODUCT INFORMATION

- **Operation:** cord
- **Range:** M - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible (recess profile only in white RAL 9016 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 2-component (2C) roller technology
- Wave (2C)
- Bendable
- Bendable recess profile

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



15 m



38 kg


Max. curtain weight -
2C roller

	2 m	4 m	6 m	8 m	10 m	12 m	15 m
	25	38	35	30	25	20	15
	25	38	35	30	25	20	15
	25	30	25	20	18	15	10
	25	30	25	20	18	15	10
	13	16	13	11	10	8	6
	13	16	13	11	10	8	6
	11	13	11	10	9	7	-
	11	13	11	10	9	7	-

(kg max.)

B. PROFILE


Profile and bending
information



SG 3971

Profile

Radius:
✓ >25 cm




SG 10862

Recess profile

Radius:
✓ 50 - 75 cm
>75 cm on request

C. HOW TO MEASURE




A: System width
 B: System height
 C: Distance between floor and fabric
 D: Cord height
 E: Safety Retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the [Silent Gliss website](https://www.silentgliss.com).

Fixing points





B. CEILING FITTING

Clamp SG 3004




SG 3004
 Clamp

Direct fitting





SG 7002
Profile protector



SG 10865
Support plate


Bracket SG 3041



SG 3041
Bracket


C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm (SG 3041)	X mm (SG 3004)
SG 11200 / SG 11210	83	
SG 11201 / SG 11211	103	72
SG 11202 / SG 11212	123	92
SG 11203 / SG 11213	143	112
SG 11204 / SG 11214	173	142
SG 11205 / SG 11215	223	192
SG 11154	128-156	102-130
SG 11155	158-186	132-160
SG 11156	208-236	182-210




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3041:

Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3041:

Screw SG 10407 (M4x10) needed.




Smart Fix SG 11201 - SG 11205 and clamp SG 3004:

Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11211 - SG 11215 and clamp SG 3004:

Screw SG 10074 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3004:

Screw SG 11158 (M4x12) needed.



SG 3004

Clamp



SG 3041

Bracket



SG 10074

Countersunk head screw
M4x8



SG 10407

Pan head screw M4x10




SG 10492

Pan head screw M4x8




SG 11158

Countersunk head screw
M4x12




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm




SG 11156


Universal Smart Fix 200 mm

D. RECESS FITTING


Recess profile SG 10862




One wedge SG 5118 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 10862
Recess profile




SG 10864
Recess mask




SG 5118
Wedge

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 10852



SG 6365




SG 10845




SG 10854



SG 10867



SG 10869




SG 10887

Standard components:


- SG 11295 End stop
- SG 10852 Wave 2C roller cord 80 mm

Optional components:


- SG 6365 Wave hanger
- SG 10845 Wave master carrier single stack 80 mm
- SG 10854 Wave overlap support arm
- SG 10867 Panhead screw M4x16
- SG 10869 Wave 2C roller cord 60 mm (no single stack)
- SG 10887 Wave extension




SG 3582



SG 6349



SG 6363



SG 10075





SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C roller cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Roller cord SG 10852	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	210 per metre of track	90
80	7	~2.3	160	210 per metre of track	100

2C Roller cord SG 10869	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	260 per metre of track	70
60	5	~2.3	120	260 per metre of track	80

**Stack size B standard*

- single stack = plus 140 mm per curtain
- pair stack = plus 40 mm per curtain

**Stack size B optional*

- single stack = n/a
- pair stack = plus 150 mm per curtain

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.
- Full functionality may be affected if the curtain touches the profile.

Fitting







- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety









- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.












PARTS


A. STANDARD PARTS

	SG 3004 Clamp
	SG 3090 Cord ø 3.5 mm
	SG 3581 Hook
	SG 3971 Profile
	SG 10731 Child safety retainer set
	SG 10821 Overlap arm
	SG 10826 Overlap arm support
	SG 10840 2C roller
	SG 10923 Pan head screw Freedriv M4x12
	SG 11314 Master carrier
	SG 11315 Guide set

B. OPTIONAL PARTS

	SG 3012 Hook
	SG 3041 Bracket
	SG 3340 Cord/chain weight
	SG 3582 Hook
	SG 3735 Cord weight with tensioner
	SG 5118 Wedge
	SG 6005 Hook
	SG 6349 Wave curtain tape
	SG 6363 Wave top hemming tape
	SG 6365 Wave hanger
	SG 7002 Profile protector
	SG 10074 Countersunk head screw M4x8
	SG 10075 Lead weight 50 g/m
	SG 10076 Fabric weight


	SG 10407 Pan head screw M4x10
	SG 10492 Pan head screw M4x8
	SG 10820 Overlap arm
	SG 10831 Connection bridge
	SG 10845 Wave master carrier 80 mm
	SG 10852 Wave 2C roller cord 80 mm
	SG 10854 Wave overlap plate
	SG 10862 Recess profile
	SG 10864 Recess mask
	SG 10865 Support plate
	SG 10867 Pan head screw Freedriv M4x16
	SG 10869 Wave 2C roller cord 60 mm
	SG 10887 Wave extension
	SG 11154 Universal Smart Fix 120 mm

**SG 11155**


Universal Smart Fix 150 mm

**SG 11156**


Universal Smart Fix 200 mm

**SG 11158**


Countersunk head screw M4x12

**SG 11200**


Smart Fix 60 mm

**SG 11201**

Smart Fix 80 mm

**SG 11202**

Smart Fix 100 mm

**SG 11203**


Smart Fix 120 mm

**SG 11204**


Smart Fix 150 mm

**SG 11205**


Smart Fix 200 mm

**SG 11210**


Square Smart Fix 60 mm

**SG 11211**


Square Smart Fix 80 mm

**SG 11212**


Square Smart Fix 100 mm

**SG 11213**

Square Smart Fix 120 mm

**SG 11214**

Square Smart Fix 150 mm

**SG 11215**

Square Smart Fix 200 mm

**SG 11295**

End stop

