


SG 1290



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable
- Click glider

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1291

Profile

Radius:
✓ 15 cm, 20 cm, >30 cm

B. HOW TO MEASURE



A: System width

B: System height


C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION


Fixing points


For detailed fitting information, visit the [Silent Gliss website](#).



B. CEILING FITTING

Bracket SG 3173







SG 3173

Bracket

C. WALL FITTING


Bracket SG 3174




SG 3174

Bracket 51 mm


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3173:
Screw SG 10407 (M4x10) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3173:
Screw SG 10407 (M4x10) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3173:
Screw SG 10277 (M4x12) needed.

Smart Fix	X mm
SG 11200 / SG 11210	77
SG 11201 / SG 11211	95
SG 11202 / SG 11212	117
SG 11203 / SG 11213	137
SG 11204 / SG 11214	167
SG 11205 / SG 11215	215
SG 11154	117-145
SG 11155	147-175
SG 11156	197-225




SG 3173
Bracket




SG 10277
Pan head screw M4x12




SG 10407
Pan head screw M4x10




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

Fitting




- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety









- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.







PARTS

A. STANDARD PARTS

	SG 1291 Profile
	SG 3911 Roller
	SG 3932 Spring stop
	SG 3981 End cover

B. OPTIONAL PARTS

	SG 1292 Connection bridge
	SG 3173 Bracket
	SG 3174 Bracket 51 mm
	SG 3582 Hook
	SG 3599 Hook
	SG 3922 Roller 3911 on strip
	SG 3931 End stop
	SG 3933 Glider 3933 on strip
	SG 3935 Overlap arm
	SG 3936 Overlap arm for draw rod
	SG 3942 End stop
	SG 3945 Magnetic glider
	SG 3946 Magnetic glider
	SG 3949 S hook

	SG 3975 Overlap arm
	SG 10430 Draw rod 50 cm
	SG 10431 Draw rod 75 cm
	SG 10432 Draw rod 100 cm
	SG 10433 Draw rod 125 cm
	SG 10434 Draw rod 150 cm

