



SG 3600



PRODUCT INFORMATION

- **Operation:** hand
- **Fitting:** wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible

Features:

- Picture hanging system
- Adjustable height

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



10 kg
(Total picture weight)


B. PROFILE

Profile and bending information



SG 1080p
Profile

C. HOW TO MEASURE




A: System width

FITTING

A. FITTING INFORMATION



Fixing Points

For detailed fitting information, visit the Silent Gliss website.



B. WALL FITTING

Bracket SG 3606




SG 3606

Clip

C. HANGING UP OF PICTURE


Set SG 3665



Click-in hooks SG 3663

Parts:

- SG 3634 Height adjuster
- SG 3637 Cord \varnothing 1.5 mm
- SG 3663 Hook



Picture height is adjusted by turning plastic screw.

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

Fitting





- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

Child Safety




- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

PARTS

A. STANDARD PARTS

	SG 1080p Profile
	SG 3605 End cover
	SG 3606 Clip
	SG 3665 Picture hanging set

B. OPTIONAL PARTS

	SG 3604 Corner connector
	SG 3657 Connection bridge
	SG 3666 Clip

