# SG 6475

## PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

***Features:***

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

# SYSTEM SPECIFICATION

## A. PROFILE

**Profile and bending information**




***SG 6475p***

*Profile*

*Radius:*
*8 cm, 12 cm, 16 cm, >25 cm*

## B. HOW TO MEASURE




*A: System width*
*B: System height*
*C: Distance between floor and fabric*

# FITTING

## A. FITTING INFORMATION

*For detailed fitting information, visit the Silent Gliss website.*

**Fixing points**




## B. CEILING FITTING

**Clamp SG 3060**






***SG 3060***

*Clamp*

# SYSTEM OPTIONS

## A. WAVE






SG 11295 SG 11302

*Standard components:*

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 6364 SG 6365 SG 6366




SG 10430-34 SG 11303

*Optional components (min. radius >25 cm):*

- *SG 2255 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363



SG 10075 SG 10076

*Curtain components:*

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)




A = Stack depth
B = Stack size
C = Min. distance

| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|---|---|---|---|---|---|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|---|---|---|---|---|---|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

# GENERAL NOTES

***Dimensions***

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

***Fitting***

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

***Child Safety***

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

# PARTS

## A. STANDARD PARTS



**SG 3060**
*Clamp*

**SG 3599**
*Hook*

**SG 6065**
*End stop*



**SG 6245**
*Spring stop*

**SG 6475p**
*Profile*



**SG 6476**
*End cover*

**SG 11300**
*2C glider*

## B. OPTIONAL PARTS



**SG 2255**
*Brake*

**SG 3012**
*Hook*



**SG 3062**
*Connection bridge*

**SG 3582**
*Hook*

**SG 6057**
*Glider*

**SG 6082**
*Glider*

**SG 6349**
*Wave curtain tape*

**SG 6363**
*Wave top hemming tape*



**SG 6364**
*Wave extension*



**SG 6365**
*Wave hanger*



**SG 6366**
*Wave carrier for draw rod*



**SG 10075**
*Lead weight 50 g/m*



**SG 10076**
*Fabric weight*



**SG 10430**
*Draw rod 50 cm*



**SG 10431**
*Draw rod 75 cm*



**SG 10432**
*Draw rod 100 cm*



**SG 10433**
*Draw rod 125 cm*



**SG 10434**
*Draw rod 150 cm*



**SG 11295**
*End stop*

**SG 11301**
*2C glider on strip*



**SG 11302**
*Wave 2C glider cord 80 mm*



**SG 11303**
*Wave 2C glider cord 60 mm*



**SG 11305**
*2C glider for direct sewing*