



# SG 7605

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




SG 6101

Profile

Radius:  
>20 cm

## B. HOW TO MEASURE



A: System width without endcaps  
B: System height  
C: Distance between floor and fabric  
X: Endcap width  
Y: Endcap height

## Endcap Measurements


|                                                                                     |          | 36 mm |    |
|-------------------------------------------------------------------------------------|----------|-------|----|
|                                                                                     |          | X     | Y  |
|  | SG 11601 | 2     | 36 |
|  | SG 11611 | 5     | 40 |

# FITTING

## A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

### Fixing points



## B. CEILING FITTING



### Support SG 6151



**SG 6151**

*Ceiling support 3 mm*



### Top fix bracket SG 11668



**SG 11668**

*Top fix bracket*


Mini hanger SG 6175



SG 6175  
Mini hanger


C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208 and SG 6141:  
Screw SG 20798 (M4x10) needed.

| Smart Fix           | X mm   |
|---------------------|--------|
| SG 11206 / SG 11216 | 51     |
| SG 11207 / SG 11217 | 71     |
| SG 11208 / SG 11218 | 91     |
| SG 11209 / SG 11472 | 80-100 |




Square Smart Fix with slot SG 11216 - SG 11218  
and SG 6141:  
Screw SG 20798 (M4x10) needed.




Adjustable Smart Fix SG 11209 and SG 6141:  
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.




**Adjustable Square Smart Fix SG 11472 and SG 6141:**  
Screw SG 6784 (M4x8) needed.




**SG 6141**  
Clamping piece




**SG 6784**  
Hexagon socket countersunk  
screw M4x8 mm




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm




**SG 11209**  
Smart Fix with extension arm




**SG 11216**  
Square Smart Fix with slot 60  
mm



**SG 11217**  
Square Smart Fix with slot 80  
mm



**SG 11218**  
Square Smart Fix with slot  
100 mm




**SG 11472**  
Square Smart Fix with  
extension arm




**SG 20798**  
Hexagon socket countersunk  
screw M4x10 mm

## Fillet Bracket SG 11669




Screw SG 6784 (M4x8) needed.



**SG 6141**  
Clamping piece



**SG 6784**  
Hexagon socket countersunk  
screw M4x8 mm



**SG 11669**  
Fillet bracket

# DESIGN & SYSTEM OPTIONS

## A. ENDCAPS




SG 11601




SG 11611

- Poles are supplied as standard with flush fitting endcaps SG 11601 (left).
- Alternatively, stud endcaps SG 11611 (right) can be selected at no additional cost.

## B. WAVE



SG 11295




SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 2255



SG 6364



SG 6365




SG 6366

Optional components (min. Radius >25 cm):

- SG 2255 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 10430-34




SG 11303



SG 3582




SG 6349



SG 6363

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh




SG 10075



SG 10076

#### Wave stack depth - 2C glider cord (standard components)



| 2C Glider cord<br>SG 11302 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80                         | 6                        | ~2.1                        | 140              | 180 per metre<br>of track | 90                |
| 80                         | 7                        | ~2.3                        | 160              | 180 per metre<br>of track | 100               |

| 2C Glider cord<br>SG 11303 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60                         | 4                        | ~2.1                        | 100              | 230 per metre<br>of track | 70                |
| 60                         | 5                        | ~2.3                        | 120              | 230 per metre<br>of track | 80                |

\*Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!

## GENERAL NOTES

### Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

### Fitting





- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

### Child Safety








- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.













# PARTS


## A. STANDARD PARTS

|                                                                                    |                                                              |
|------------------------------------------------------------------------------------|--------------------------------------------------------------|
|    | <b>SG 6065</b><br>End stop                                   |
|    | <b>SG 6101</b><br>Profile                                    |
|    | <b>SG 6141</b><br>Clamping piece                             |
|    | <b>SG 11206</b><br>Smart Fix with slot 60 mm                 |
|    | <b>SG 11300</b><br>2C glider                                 |
|   | <b>SG 11601</b><br>Flush end cap 36 mm                       |
|  | <b>SG 20798</b><br>Hexagon socket countersunk screw M4x10 mm |


## B. OPTIONAL PARTS

|                                                                                     |                                          |
|-------------------------------------------------------------------------------------|------------------------------------------|
|    | <b>SG 2255</b><br>Brake                  |
|    | <b>SG 3012</b><br>Hook                   |
|    | <b>SG 3582</b><br>Hook                   |
|    | <b>SG 3599</b><br>Hook                   |
|    | <b>SG 6053</b><br>Spring stop            |
|   | <b>SG 6057</b><br>Glider                 |
|  | <b>SG 6082</b><br>Glider                 |
|  | <b>SG 6086</b><br>Spring stop            |
|  | <b>SG 6099</b><br>Wave roller cord 80 mm |
|                                                                                     | <b>SG 6112</b><br>Connection bridge      |
|  | <b>SG 6151</b><br>Ceiling support 3 mm   |
|  | <b>SG 6152</b><br>Ceiling support 9 mm   |
|  | <b>SG 6175</b><br>Mini hanger            |
|  | <b>SG 6283</b><br>Roller                 |


|                                                                                       |                                                            |
|---------------------------------------------------------------------------------------|------------------------------------------------------------|
|    | <b>SG 6349</b><br>Wave curtain tape                        |
|    | <b>SG 6363</b><br>Wave top hemming tape                    |
|    | <b>SG 6364</b><br>Wave extension                           |
|    | <b>SG 6365</b><br>Wave hanger                              |
|    | <b>SG 6366</b><br>Wave carrier for draw rod                |
|   | <b>SG 6784</b><br>Hexagon socket countersunk screw M4x8 mm |
|  | <b>SG 10075</b><br>Lead weight 50 g/m                      |
|  | <b>SG 10076</b><br>Fabric weight                           |
|  | <b>SG 10430</b><br>Draw rod 50 cm                          |
|  | <b>SG 10431</b><br>Draw rod 75 cm                          |
|  | <b>SG 10432</b><br>Draw rod 100 cm                         |
|  | <b>SG 10433</b><br>Draw rod 125 cm                         |
|  | <b>SG 10434</b><br>Draw rod 150 cm                         |
|  | <b>SG 10492</b><br>Pan head screw M4x8                     |

**SG 11207**


Smart Fix with slot 80 mm

**SG 11208**


Smart Fix with slot 100 mm

**SG 11209**


Smart Fix with extension arm

**SG 11216**


Square Smart Fix with slot 60 mm

**SG 11217**

Square Smart Fix with slot 80 mm

**SG 11218**

Square Smart Fix with slot 100 mm

**SG 11295**


End stop

**SG 11301**


2C glider on strip

**SG 11302**


Wave 2C glider cord 80 mm

**SG 11303**


Wave 2C glider cord 60 mm

**SG 11305**

2C glider for direct sewing

**SG 11472**


Square Smart Fix with extension arm

**SG 11611**

Stud end cap 36 mm

**SG 11668**

Top fix bracket

**SG 11669**

Fillet bracket





