



SG 7620



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Range of decorative finials
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 11607

Profile

Radius:
✓ >50 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements


		50 mm	
		X	Y
	SG 11605	2	51
	SG 11651	10	56
	SG 11652	24	75
	SG 11753	115	51
	SG 11754	83	70
	SG 11756	90	85
	SG 11757	165	70
	SG 11758	32	130
	SG 11759	30	100

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the *Silent Gliss* website.


Fixing points



B. CEILING FITTING

Support SG 6152







SG 6152

Ceiling support 9 mm



Top fix bracket SG 11668



SG 11668

Top fix bracket

Mini hanger SG 6175




SG 6175


Mini hanger

C. WALL FITTING


Smart Fix




Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 20798 (M4x10) needed.




Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 20798 (M4x10) needed.



Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.




Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.




SG 6141
Clamping piece




SG 6784
Hexagon socket countersunk screw M4x8 mm




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm



SG 11209
Smart Fix with extension arm




SG 11216
Square Smart Fix with slot 60 mm




SG 11217
Square Smart Fix with slot 80 mm

Smart Fix	X mm
SG 11206 / SG 11216	51
SG 11207 / SG 11217	71
SG 11208 / SG 11218	91
SG 11209 / SG 11472	80-100



SG 11218

Square Smart Fix with slot
100 mm



SG 11472


Square Smart Fix with
extension arm




SG 20798

Hexagon socket countersunk
screw M4x10 mm

Fillet Bracket SG 11669



Screw SG 6784 (M4x8) needed.




SG 6141

Clamping piece



SG 6784

Hexagon socket countersunk
screw M4x8 mm



SG 11669

Fillet bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS



SG 11605



SG 11651

- Without finials, poles are supplied as standard with flush fitting endcaps SG 11605 (left).
- Alternatively, stud endcaps SG 11651 (right) can be selected at no additional cost.

B. FINIALS



SG 11652




SG 11753



SG 11754



SG 11756



SG 11757



SG 11758




SG 11759


Finials are decorative elements that fit on at the end of the pole:

- SG 11652 Design end cap 50 mm
- SG 11753 Groove cylinder 50 mm
- SG 11754 Glass ball 50 mm
- SG 11756 Ball end 50 mm
- SG 11757 Spear 50 mm
- SG 11758 Ellipse 50 mm
- SG 11759 Taper 50 mm

C. WAVE



SG 11295




SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 2255



SG 6364




SG 6365




SG 6366

Optional components:

- SG 2255 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 10430-34




SG 11303



SG 3582




SG 6349



SG 6363

Curtain components:



- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh



SG 10075



SG 10076



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm SG 6364
increases by 95 mm per curtain stack!

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

Fitting




- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety










- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.















PARTS
















A. STANDARD PARTS

	SG 6065 End stop
	SG 6141 Clamping piece
	SG 11206 Smart Fix with slot 60 mm
	SG 11300 2C glider
	SG 11605 Flush end cap 50 mm
	SG 11607 Profile
	SG 20798 Hexagon socket countersunk screw M4x10 mm

B. OPTIONAL PARTS

	SG 2255 Brake
	SG 3012 Hook
	SG 3582 Hook
	SG 3599 Hook
	SG 6053 Spring stop
	SG 6057 Glider
	SG 6082 Glider
	SG 6099 Wave roller cord 80 mm
	SG 6152 Ceiling support 9 mm
	SG 6173 Connection bridge
	SG 6175 Mini hanger
	SG 6283 Roller
	SG 6349 Wave curtain tape
	SG 6363 Wave top hemming tape

	SG 6364 Wave extension
	SG 6365 Wave hanger
	SG 6366 Wave carrier for draw rod
	SG 6784 Hexagon socket countersunk screw M4x8 mm
	SG 6785 Hexagon socket countersunk screw M4x12 mm
	SG 10075 Lead weight 50 g/m
	SG 10076 Fabric weight
	SG 10430 Draw rod 50 cm
	SG 10431 Draw rod 75 cm
	SG 10432 Draw rod 100 cm
	SG 10433 Draw rod 125 cm
	SG 10434 Draw rod 150 cm
	SG 10492 Pan head screw M4x8
	SG 11207 Smart Fix with slot 80 mm

	SG 11208 Smart Fix with slot 100 mm		SG 11669 Fillet bracket
	SG 11209 Smart Fix with extension arm		SG 11753 Groove cylinder 50 mm
	SG 11216 Square Smart Fix with slot 60 mm		SG 11754 Glass ball 50 mm
	SG 11217 Square Smart Fix with slot 80 mm		SG 11756 Ball end 50 mm
	SG 11218 Square Smart Fix with slot 100 mm		SG 11757 Spear 50 mm
	SG 11295 End stop		SG 11758 Ellipse 50 mm
	SG 11301 2C glider on strip		SG 11759 Taper 50 mm
	SG 11302 Wave 2C glider cord 80 mm		
	SG 11303 Wave 2C glider cord 60 mm		
	SG 11305 2C glider for direct sewing		
	SG 11472 Square Smart Fix with extension arm		
	SG 11651 Stud end cap 50 mm		
	SG 11652 Design end cap 50 mm		
	SG 11668 Top fix bracket		

