


SG 2305



PRODUCT INFORMATION


- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 1-to-4 gear drive
- Stainless steel bead chain
- Enclosed headrail
- Integrated magnetic child safety end-set


SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS




B. PROFILE

Profile information




C. HOW TO MEASURE

Breakaway child safety chain drive SG 2307



Non-breakaway chain drive SG 2317




A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the [Silent Gliss website](#).

Fixing points




B. CEILING FITTING

Bracket SG 2302



SG 2302
Bracket


Bracket SG 2346




SG 2346
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11215 and
bracket SG 2302:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and
bracket SG 2302:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	71-79
SG 11201 / SG 11211	91-99
SG 11202 / SG 11212	111-119
SG 11203 / SG 11213	131-139
SG 11204 / SG 11214	161-164
SG 11205 / SG 11215	211-219
SG 11154	126-152
SG 11155	156-182
SG 11156	206-232




SG 2302
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (Standard)

Loop tape SG 3074:

A: Loop tape SG 3074 / SG 2164


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B

Ring tape SG 2164:

A: Child safety eyelet soft fold SG 3078


B: Ring tape SG 2164

C: Cord SG 2216

D: Child safety hook set SG 3164

E: Hollow hem

F: Bottom bar SG 2004



Type C


A: Tape SG 2136

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135

D: Cord SG 2216

E: Child safety hook set SG 3164



Type D

A: Child safety eyelet set SG 3165

B: Tube SG 2144

C: Cord SG 2216

D: Child safety hook set SG 3164

E: Option: tube SG 2144 / SG 2137 can be installed to room side

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories (bottom bars, cross rods, etc.).
- Stack size is typically 15-20% of system height.

Fitting









- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Electrical installations must be carried out according to Silent Gliss wiring diagrams and conform to local regulations.

Child Safety











- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.











PARTS


A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2301 Velcro profile
	SG 2302 Bracket
	SG 2307 Child safety chain drive set 4:1
	SG 2308 Cord drum with lift cord
	SG 2309 Shaft
	SG 2311 Bead chain metal ø 4.5 mm
	SG 2539 Tape
	SG 3161 Child safety eyelet set
	SG 3164 Child safety hook set

B. OPTIONAL PARTS


	SG 2006 Bottom bar 28x3 mm
	SG 2091 End cover
	SG 2093 Ring
	SG 2135 Rod steel ø 3 mm
	SG 2136 Rod tape
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2310 Bead chain plastic ø 4.5 mm
	SG 2312 Bead chain connector metal
	SG 2317 Chain drive set 4:1
	SG 2319 Bead chain connector plastic
	SG 2346 Bracket
	SG 2347 Bead chain loops plastic 100/150/200/250/300/350/400 cm

	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape
	SG 3165 Child safety eyelet set
	SG 3166 Child safety tape set
	SG 3340 Cord/chain weight
	SG 10395 Pan head screw M4x6
	SG 10492 Pan head screw M4x8
	SG 10731 Child safety retainer set
	SG 11154 Universal Smart Fix 120 mm
	SG 11155 Universal Smart Fix 150 mm
	SG 11156 Universal Smart Fix 200 mm
	SG 11200 Smart Fix 60 mm
	SG 11201 Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11482

Ring

